WorkForce Pro WF-M5299DW

DATASHEET / BROCHURE

Pove ajte produktivnost i smanjite broj potrebnih intervencija uz ovaj crno-beli štampa , istovremeno smanjuju i troškove štampanja kompanije i uticaj na životnu sredinu.

Iskoristite nisku potrošnju energije, nisku ukupnu cenu posedovanja (Total Cost of Ownership, TCO), kratko vreme štampanja prve stranice (First Page Out Time, FPOT) i funkcije dizajnirane za jednostavnu integraciju poslovanja sa novim štampa em WorkForce Pro WF-M5299DW. Ovaj poslovni inkdžet štampa ima mogu nost dvostranog štampanja koje svaki zadatak ini jednostavnijim i efikasnijim. Kompatibilan je sa više programskih jezika za opisivanje stranica za štampanje (PDL), uklju uju i PCL i PostScript 3.

Visoka produktivnost i nizak nivo intervencija
Najkra e vreme štampanja prve stranice (FPOT) u svom segmentu u trajanju od 4,8 sekundi u pore enju sa sli nim laserskim štampa ima[1]. Štampajte do 40.000 stranica bez promene materijala zahvaljuju i najve em prinosu mastila u ovom segmentu[2]. Kapacitet papira do 830 listova sa glavnim drža em za papir predvi enim za 250 listova smanjuje vreme za dopunu. Jednostavna putanja papira i beskontaktna štampa omogu avaju štampanje na velikom broju razli itih materijala, uklju uju i reciklirani papir, sjajne materijale, koverte i etikete.

Ušteda energije i društveno odgovorno poslovanje
Iskoristite visok u inak i inkdžet tehnologiju koji omogu avaju upotrebu zna ajno manje koli ine potrošnih materijala. Energija koja se troši pri štampanju najmanje je za 90% niža u odnosu na uporedive laserske modele[1], a to pomaže smanjenju ra una za elektri nu energiju i unapre enju društveno odgovornog poslovanja.

Osmišljen za posao
Savršen za male radne grupe sa velikim obimom štampe, obi no u okviru ve ih organizacija kojima je potrebno robusno rešenje za crno-belo štampanje. Širok opseg softvera i alatki nudi bezbedne opcije za štampanje i pomaže pri daljinskom upravljanju ure ajima. NFC i mogu nost beži nog povezivanja podržavaju i štampanje sa mobilnih ure aja. Korisni ki interfejs je intuitivan i jednostavan za rukovanje.

GLAVNE OSOBINE

- **Uštedite vreme**
  Uz kratko vreme štampanja prve stranice (FPOT)
- **Nizak nivo potrebnih intervencija**
  Štampajte sa minimalnim prekidima rada
- **Uštedite vreme**
  Zahvaljuju i visokom u inku i kapacitetu papira manje vremena se troši na dopunu materijala
- **Osmišljen za posao**
  Kompatibilnost sa programskim jezicima za opisivanje stranica za štampanje (PCL i PostScript 3)
- **PrecisionCore tehnologija**
  Najnaprednija Epson tehnologija glave štampa a

EPSON®
EXCEED YOUR VISION

SPECIFIKACIJE PROIZVODA

TEHNIKA	
Printing Method	PrecisionCore™ Print Head
Minimalna veli ina kapljice	With Variable-Sized Droplet Technology
Tehnologija tinte	DURABrite™ Ultra
Snaga	Srednja radna grupa
Više funkcija	Print
PISANJE	
Vreme do prve strane	Monohrom 4,8 Sekunde
Brzina štampanja ISO/IEC 24734	24 Pages/min Monohrom
Duplex Printing Speed ISO/IEC 24734	15 A4 pages/min Monohrom
Maximum Printing Speed	34 Pages/min Monohrom (plain paper)
Rezolucija štampanja	1.200 x 1.200 DPI
Volumen štampanja	45.000 Pages per month Maksimalan broj odštampanih stranica na mese nom nivou prema performansama štampa a, uklju uju i brzinu štampanja prema ISO standardu i mogu nosti upravljanja papirom.
Recommended Duty Cycle	250 - 2.500 Pages per month
For detailed information on printing speeds please visit http://www.epson.eu/testing.	
CONNECTIVITY	
Protokoli za mrežno štampanje	LPR, FTP, IPP, LPD, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint
Protokoli za upravljanje mrežom	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, POP3, IEEE 802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap
Network Scanning Protocols	NetBIOS over TCP/IP, Bonjour/Airprint, FTP
Priklju ci	Wireless LAN IEEE 802.11b/g/n (WiFi 4), Wi-Fi Direct, USB 1.1 Tip A (2x), Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Near Field Communication (NFC)
WLAN sigurnost	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES)
Network Protocols	TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS
SPECIFIKACIJE PAPIRA I SENZORI	
Formati papira	C4 (Envelope), Pravne informacije, A6, A5, B5, Pismo, 9 x 13 cm, 10 x 15 cm, 13 x 18 cm, A4, B6, C5 (koverta), No. 10 (koverta), Definisano od strane korisnika, C6 (koverta), DL (koverta)
Odgovaraju a težina papira	64 g/m² - 256 g/m²
Dvostrano	Da
Standard Paper input	330 Sheets Standardno, 80 Sheets MP tray, 250 Sheets paper tray
Kapacitet spremnika za izdavanje papira	150 Sheets
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray
Optional paper tray(s)	500-Sheet paper tray
Maximum paper input	830
Rear paper path (special media)	Da
Broj ladica za papir	2

OBIM ISPORUKE

- Strujni kabl
- Driveri i pomo ni programi (CD)
- Uputstvo za postavljanje
- Uputstvo za upotrebu (CD)
- Initialization Ink Supply Units

EPSON®
EXCEED YOUR VISION

SPECIFIKACIJE PROIZVODA

WorkForce Pro WF-M5299DW

PAPER FEED RASF	
Paper Input Name	RASF
Paper Formats	A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal
Custom sizes	Min 64x 127 mm to Max 216x 60.000 mm
Compatible paper weight	64 g/m² - 256 g/m²
Paper Capacity 1	80 Sheets of Plain Paper, Postcards, Envelopes, Labels, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED C1	
Paper Input Name	C1
Paper Formats	A4, A5, A6, Letter
Custom sizes	Min 89x 127 mm to Max 216x 356 mm
Compatible paper weight	64 g/m² - 160 g/m²
Paper Capacity 1	250 Sheets of Plain Paper, Envelopes, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED C2	
Paper Input Name	C2
Paper Formats	A4, Letter
Custom sizes	Min 100x 148 mm to Max 216x 356 mm
Compatible paper weight	64 g/m² - 160 g/m²
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
PAPER FEED DUPLEX	
Paper Input Name	Duplex
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive
Custom sizes	Min 148x 210 mm to Max 216x 297 mm
Compatible paper weight	64 g/m² - 160 g/m²
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead
OP ENITO	
Potrošnja energije	1,1 W (sleep mode), 23 W (printing), 7 W Spreman, 0,2 W (isklju iti), TEC 0,2 kWh/week
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Dimenzije	425 x 535 x 357 mm (Širina x Dubina x Visina)
Težina	14,9 kg
Kompatibilni operativni sistemi	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS X 10.12.x, Mac OS X 10.6.8, SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server 2003 R2, Windows XP Professional x64 Edition, Windows XP Professional x64 Edition SP2
Ja ina buke	Rad: 6,9 B (A)
Pritisak buke	Rad: 55 dB (A)
Mobile and Cloud printing services	Epson Connect (iPrint, Email Print, Remote Print Driver), Apple AirPrint, Google Cloud Print
Snabdevanje strujom	220V, 240V
ADDITIONAL FEATURES	
Funkcije	Direct Print, Direct print from USB
LC displej	Tip: Obojeni, Dijagonala: 6 cm
Obrada medija	Automatic duplex (A4, plain paper), Portrait & Landscape printing, Thick Media Support
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode
OSTALE FUNKCIJE	
Emulacije	PCL6, PostScript 3, ESC/P-R, PDF 1.7, PCL5e
OSTALI	
Garancija	12 Meseci On site service Optional warranty extension available

POTROŠNI MATERIJAL

● Maintenance box	C13T671600	
● WF-M52xx/57xx Series Ink Cartridge L Black	C13T964140	5.000 pages
● WF-M52xx/57xx Series Ink Cartridge XL Black	C13T965140	10.000 pages
● WF-M52xx/57xx Series Ink Cartridge XXL Black	C13T966140	40.000 pages

OPTIONAL ACCESSORIES

● 500-Sheet Paper Cassette
C12C932871

INFORMACIJE O LOGISTICI

SKU	C11CG07401
Šifrirane trake	8715946634272
Veli ina palete	2 Komad

WorkForce Pro WF-M5299DW

INK YIELD DATA

	T9641	T9651	T9661
●	5.000 strane*	10.000 strane*	40.000 strane*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

PRECISIONCORE

1. Pore enje je izvršeno za 10 najbolje prodavanih crno belih laserskih štampa a u Zapadnoj Evropi i Srednjoj i Isto noj Evropi sa brzinom štampanja izme u 21 i 45 stranica u minutu, u skladu sa definicijom IDC-a za 12 meseci koji su prethodili decembru 2017. Podaci su preuzeti od BLI-a gde je to mogu e ili su navedeni na veb-sajtovima proizvo a a.
2. Približni obim štampe. Stvaran broj odštampanih stranica zavisi od slika koje se štampaju i uslova koriš enja. Dodatne informacije potražite na adresi www.epson.eu/pageyield. Pore enje je izvršeno za 20 najbolje prodavanih crno-belih laserskih štampa a u Zapadnoj Evropi i Srednjoj i Isto noj Evropi sa brzinom štampanja izme u 21 i 45 stranica u minutu, u skladu sa definicijom IDC-a za 12 meseci koji su prethodili decembru 2017. Podaci su preuzeti od BLI-a gde je to mogu e ili su navedeni na veb-sajtovima proizvo a a.

EWE COMP d.o.o.
Cara Dusana 212, Zemun
Tel: +381 11 3535 500
www.ewe.rs

ATOM PARTNER d.o.o.
Sindjeliceva 9, Beograd
Tel: +381 11 2090804
www.atompartner.com

Robne marke ili registrovane robne marke vlasništvo su Seiko Epson Corporation ili njihovih odgovaraju ih vlasnika.
Informacije o proizvodu podložne su promenama bez prethodne najave.

EPSON®